


Listing of Claims:

Claim 1 (currently amended) ~~Compound of general formula (I)~~ A compound of the formula




(I)

in which

~~A represents the~~

wherein A is



radical, in which

R^1, R^2, R^4, R^5 and R^6 ~~represent, are independently, a selected from the group consisting of~~
hydrogen atom, a halogen atom, the OH group, an alkyl, alkoxy, cyano, nitro ~~or~~ and NR^7R^8
radical,

R^7 and R^8 ~~represent, are independently, a selected from the group consisting of~~ hydrogen atom,
an alkyl radical ~~or a~~ and $-COR^9$ group,

R^9 ~~represents a~~ is selected from the group consisting of hydrogen atom, an alkyl ~~or~~ and alkoxy
radical,

R^3 ~~represents a~~ is selected from the group consisting of hydrogen atom, an alkyl radical ~~or a~~ and
 $-COR^{10}$ group,

R^{10} ~~represents a~~ is selected from the group consisting of hydrogen atom ~~or an alkyl or~~ and alkoxy
radical, and

W ~~represents~~ is selected from the group consisting of a bond, ~~or a~~ $-CH_2-CH_2-$, $-CH=CH-$, $-O-$,
 $-S-$ ~~or~~ and $-NR^{11}-$ radical in which

R^{11} ~~represents a~~ is hydrogen atom or an alkyl radical;

X ~~represents~~ is selected from the group consisting of $-CO-$, $-Y-CO-$, $-O-Y-CO-$ ~~or~~ and $-NR^{12}-Y-$
 $CO-$,

Y ~~represents an~~ is alkylene or haloalkylene radical,

R^{12} ~~represents a~~ is hydrogen atom, an alkyl radical ~~or a~~ and $-COR^{13}$ group,

R^{13} ~~represents a~~ is selected from the group consisting of hydrogen atom, an alkyl, haloalkyl ~~or~~
and alkoxy radical,

AA ~~represents~~ is, each time that it occurs, selected from the group consisting of a natural amino
acid, a natural amino acid the side chain of which, which carries a reactive chemical function
(~~such as carboxylic acid, amine, alcohol or thiol~~), is protected in the form of alkyl or aralkyl ester

(for the acid functions), in the form of alkyl or aralkyl ether or alkyl or aralkyl thioether or in the form of alkyl or aralkyl ester (for the alcohol and thiol functions) ~~or~~ and finally an amino acid of general the formula $\text{-NR}^{14}\text{-(CH}_2\text{)}_p\text{-CR}^{15}\text{R}^{16}\text{-CO-}$ in which p ~~represents~~ is 0 or 1, R^{14} ~~represents a~~ is hydrogen atom or an alkyl radical, R^{15} ~~represents a~~ is hydrogen atom or an alkyl radical, R^{16} ~~represents a~~ is hydrogen atom or an alkyl radical, R^{15} ~~represents a~~ is hydrogen atom or an alkyl radical, R^{16} ~~represents a~~ is hydrogen atom or an alkyl radical, R^{15} ~~represents a~~ is hydrogen atom, an alkyl, haloalkyl, phenyl, cycloalkyl, cycloalkylalkyl ~~or~~ and alkenyl radical,

or R^{15} and R^{16} forming with the carbon atom to which they are attached a saturated carbocycle with 3 to 7 carbon atoms (~~and preferably with 3 to 6 carbon atoms~~),

an -(AA)_2 - ~~group~~ also being able to ~~represent~~ be a carbapeptide of general the formula $\text{-NR}^{17}\text{-(CH}_2\text{)}_3\text{-CH(R}^{18}\text{)-CO-}$ in which R^{17} ~~represents a~~ is hydrogen atom or an alkyl radical and R^{18} ~~represents a~~ is hydrogen atom or an alkyl radical;

n ~~represents~~ is 2 or 3; and finally

R ~~represents a~~ is selected from the group consisting of hydrogen atom ~~or an~~, alkyl ~~or~~ and -CO-R^{19} radical ~~in which~~ R^{19} ~~represents an~~ is alkyl radical; and

or a salt of such a compound thereof.

Claim 2 (currently amended) ~~Compound of general formula (I) according to~~ A compound of claim 1, characterized in that wherein:

- ❖ $\text{R}^1, \text{R}^2, \text{R}^4, \text{R}^5$ and R^6 ~~represent, are~~ independently, selected from the group consisting of a hydrogen atom, a halogen, ~~atom or an~~ alkyl, alkoxy ~~or an~~ alkyl, alkoxy ~~or~~ and $\text{-NR}^7\text{R}^8$ radical;

- ❖ ~~R³ represents a~~ is selected from the group consisting of hydrogen atom, a methyl radical ~~or a~~ and -COR⁹ radical in which R⁹ ~~represents a~~ is methyl or tert-butoxy radical;
 - ❖ W ~~represents~~ is selected from the group consisting of a bond, ~~or a~~ -CH₂-CH₂-, -CH=CH-, O ~~or~~ and -S-;
 - ❖ X ~~represents~~ is -CO-, -Y-CO- ~~or~~ and -O-Y-CO-;
 - ❖ X ~~represents~~ is selected from the group consisting of -CO-, -Y-CO- ~~or~~ and -O-Y-CO-;
 - ❖ -(AA)_n- contains amino acids chosen independently from the group ~~constituted by the~~ consisting of natural amino acids, 3-methylvaline, norvaline, phenylglycine, vinylglycine and 2- aminobutyric acid;
 - ❖ n ~~represents a~~ is 2; and
 - ❖ R ~~represents a~~ is hydrogen atom or a methyl radical;
- or a salt of such a compound thereof.

Claim 3 (currently amended) ~~Compound of general formula (I) according to~~ A compound of claim 1, wherein

- ❖ R¹, R², R⁴, R⁵ and R⁶ ~~represent,~~ are independently, selected from the group consisting of a hydrogen atom ~~or an,~~ alkyl ~~or~~ and alkoxy radical;
- ❖ R³ ~~represents a~~ is hydrogen atom or a methyl radical;
- ❖ W ~~represents~~ is -O- or -S-;
- ❖ X ~~represents~~ is -Y-CO- or -O-Y-CO-;
- ❖ -(AA)_n- ~~represents~~ is an -(AA²)-(AA¹)- such that AA¹ ~~represents~~ is Leu and AA² ~~represents~~ is an amino acid chosen from the group ~~constituted by the~~ consisting of

natural amino acids, 3-methylvaline, norvaline, phenylglycine, vinylglycine and 2-aminobutyric acid;

❖ R ~~represents a~~ is hydrogen atom,

or a salt of such a compound thereof.

Claim 4 (currently amended) ~~Compound of general formula (I) according to~~ A compound of claim 1, characterized in that it is chosen from the following compounds is selected from the group consisting of:

- N-(10H-phenothiazin-2-ylcarbonyl)-L-leucyl-L-leucyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)-L-leucyl-L-leucyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)glycyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)leucyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N⁶-[(benzyloxy)carbonyl]-N²-(10H-phenothiazin-2-ylcarbonyl)lysyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- 1-(10H-phenothiazin-2-ylcarbonyl)-L-prolyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)leucyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;

- N⁶-[(benzyloxy)carbonyl]-N²-(10H-phenothiazin-2-ylcarbonyl)lysyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- 1-(10H-phenothiazin-2-ylcarbonyl)-L-prolyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)leucyl-N¹-[(3S)-2-(acetyloxy)-tetrahydrofuran-3-yl]-L-leucinamide;
- N²-(10H-phenothiazin-2-ylcarbonyl)lysyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylacetyl)-L-leucyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- O-(tert-butyl)-N-(10H-phenothiazin-2-ylacetyl)-L-seryl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylacetyl)-L-alanyl-3-cyclohexyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-alaninamide;
- N-(10H-phenothiazin-2-ylacetyl)-L-leucyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- O-(tert-butyl)-N-(10H-phenothiazin-2-ylacetyl)-L-seryl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylacetyl)-L-alanyl-3-cyclohexyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-alaninamide;
- N-[3-(10H-phenothiazin-2-yl)propanoyl]-L-leucyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[3-(10H-phenothiazin-2-yl)propanoyl]-L-leucyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-leucyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-alanyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;

- N-[(10H-phenothiazin-2-yloxy)acetyl]- β -alanyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-D-valyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- 3-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}butanoyl)-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-norvalyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-seryl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-threonyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}-2-phenylethanoyl)-L-leucinamide;
- N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}but-3-enoyl)-L-leucinamide;
- 2-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]alanyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-valinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-3-cyclohexyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-alaninamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-phenylalaninamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N²-isobutyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]glycinamide;

- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-leucyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-alanyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-β-alanyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-D-valyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- 3-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}butanoyl)-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-norvalyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-seryl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-threonyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}-2-phenylethanoyl)-L-leucinamide;
- N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}but-3-enoyl)-L-leucinamide;
- 2-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]alanyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-valinamide;

- N-[(10H-phenothiazin-2-yloxy)acetyl]- β -alanyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-D-valyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- 3-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}butanoyl)-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-norvalyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-seryl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-threonyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}-2-phenylethanoyl)-L-leucinamide;
- N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-N²-((2S)-2-[(10H-phenothiazin-2-yloxy)acetyl]amino}but-3-enoyl)-L-leucinamide;
- 2-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]alanyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-valinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-3-cyclohexyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-alaninamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-phenylalaninamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N²-isobutyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]glycinamide;

- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-leucyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-alanyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-β-alanyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-D-valyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- 3-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-N²-((2S)-2-[[[(10H-phenothiazin-2-yloxy)acetyl]amino}butanoyl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-norvalyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-seryl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-threonyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-N²-((2S)-2-[[[(10H-phenothiazin-2-yloxy)acetyl]amino}-2-phenylethanoyl]-L-leucinamide;
- N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-N²-((2S)-2-[[[(10H-phenothiazin-2-yloxy)acetyl]amino}but-3-enoyl]-L-leucinamide;
- 2-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]alanyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-valinamide;

- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-3-cyclohexyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-alaninamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-phenylalaninamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-N²-isobutylglycinamide;
- N-[2-methyl-2-(10H-phenothiazin-2-yloxy)propanoyl]glycyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[2-methyl-2-(10H-phenothiazin-2-yloxy)propanoyl]glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10,11-dihydro-5H-dibenzo[b,f]azepin-3-ylcarbonyl)-L-leucyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10,11-dihydro-5H-dibenzo[b,f]azepin-3-ylcarbonyl)-L-leucyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(5-acetyl-10,11-dihydro-5H-dibenzo[b,f]azepin-3-yl)carbonyl]-L-leucyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- 2-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]alanyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide ;and

or a salt of ~~one of these compounds~~ thereof.

Claims 5-10 (cancelled)

Claim 11 (new) A composition for inhibiting calpains and lipid peroxidation comprising an inhibitorily effective amount of a compound of claim 1 and an inert pharmaceutical carrier.

Claim 12 (new) A method of inhibiting calpains in warm-blooded animals comprising administering to warm-blooded animals in need thereof a calpain inhibitorily effective amount of a compound of claim 1.

Claim 13 (new) A method of inhibiting lipid peroxidation in warm-blooded animals comprising administering to warm-blooded animals in need thereof a calpain inhibitorily effective amount of a compound of claim 1.

Claim 14 (new) A method of treating a disorder selected from the group consisting of inflammatory and immunological diseases, cardio-vascular and cerebro-vascular diseases, disorders of the central or peripheral nervous system, osteoporosis, muscular dystrophy, proliferative diseases, cataract, rejection reactions following organ transplants and autoimmune and viral diseases.